

Photonuclear Physics Options in the MCNP6 Transport Code

Michael E. Rising, Colin J. Josey, and Wim Haeck

2022 WANDA February 28 – March 4, 2022

LA-UR-22-21663

Physics Options in MCNP6

Using Tabulated Data Libraries

- Interaction probabilities and secondary particle distributions (i.e. multiplicity, angle, energy) are evaluated, processed and provided in data tables
- Typical for neutrons, photons, and electrons in the "low-energy" range
- Also limited availability of proton, deuteron, triton, ³He and ⁴He particles incident on certain targets

Using Physics Models

- For other particle types (pions, kaons, heavy ions, etc.), and particles with high energies above the table ranges, inline physics models are used for on-the-fly computation of interaction probabilities, secondary particle production, etc.
- Many models are Monte Carlo in nature and have defined particle types and energy ranges where most applicable



Photonuclear Physics Libraries

- Typical upper energy limit of ~150 MeV
- A photonuclear interaction begins with a photon absorption by a nucleus through the giant dipole resonance or quasi-deuteron absorption
- To be used by MCNP6, libraries are processed into ACE format
- Two libraries have been released with previous versions of the MCNP code

LA150U, 13 isotopes, released ~2000

²H, ¹²C, ¹⁶O, ²⁷Al, ²⁸Si, ⁴⁰Ca, ⁵⁶Fe, ⁶³Cu, ¹⁸¹Ta, ¹⁸⁴W, ²⁰⁶Pb, ²⁰⁷Pb, ²⁰⁸Pb

ENDF7U, 157 isotopes, released ~2006

- A superset of LA150U, including all 13 isotopes and 144 additional isotopes
- Based on IAEA CRP efforts and ENDF/B-VII.0




Recent Photonuclear Library Improvements in MCNP6.3

 Traditional photonuclear data relied on limited scattering law formats (i.e. single Legendre coefficient giving isotropic distributions)

 The more recent IAEA CRP on photonuclear cross sections leading to the IAEA-2019 library [5] included anisotropic Legendre expansions of secondary

particle distributions


In the upcoming release of MCNP6 these new scattering laws are handled properly, which required changes to both the MCNP code and the NJOY processing code





Photonuclear Physics Models

- Above the ~150 MeV energy threshold physics models can be used directly inline within the MCNP simulation
 - For incident photon energies above the maximum table energy and <1.2 GeV, the cascade-exciton model (CEM) [6] is used by default
 - For incident photon energies >1.2 GeV, the Los Alamos quark-gluon string model (LAQGSM) [7] is used by default
- This kind of inline event generator approach is generally needed in these energy regimes where tabulated data may be difficult to evaluate and validate
 - For photonuclear physics, pion production occurs ~150 MeV where more complex nuclear modeling is needed





Other Photonuclear Data and Model Considerations

- In the MCNP code, photonuclear physics is off by default users must opt-in to make use of this physics
- There is quite a bit of flexibility through a mix-and-match approach within MCNP6 to handle are sorts of physics, including photonuclear interactions
 - Mixed use of model and data above and below an energy threshold
 - Selective use of data and model for any nuclide
- The LLNL Fission Library [8], included in all versions of MCNP6 and in later versions of MCNPX, can be used to simulate photofission reactions for a variety of actinides
 - This library does not use the ACE-based data, but is not quite a physics model event generator like CEM, LAQGSM, etc.



Application Uses and Needs

Uses

- Accelerator neutron source studies photoneutron production
- Accelerator radiation protection
- Special nuclear materials (SNM) detection and active interrogation concepts
- Medical applications, e.g. therapy

Needs

- More complete library (LA150 contains 13 nuclides, 1999 IAEA CRP contains 164 nuclides, and 2019 IAEA CRP contains 219 nuclides)
 - Compare to 550+ neutron reaction sub-library evaluations in ENDF/B-VIII.0
- Experiment data for photofission evaluation and validation of photonuclear data

Conclusions

 Both photonuclear data tables and physics model event generator capabilities exist within the MCNP6 code

- Improvements to MCNP6.3 and NJOY have been made to enable the processing and use of more modern photonuclear data tables
- Many application areas, from accelerators to SNM detection/interrogation
- Validation of photonuclear data and model physics use in transport may be lacking and should be investigated



Questions?

Contact: mrising@lanl.gov



References

- [1] P. Oblozinski, ed. "Handbook of Photonuclear Data for Applications." IAEA-TECDOC-1178. International Atomic Energy Association: Vienna, Austria, 2000.
- [2] M. B. Chadwick, P. G. Young, R. E. MacFarlane, M. C. White and R. C. Little, "Photonuclear Physics in Radiation Transport: I. Cross Sections and Spectra." *Nucl. Sci. Eng.*, **144** (2), pages 157–173 (2003). DOI: 10.13182/NSE144-157
- [3] M. C. White, R. C. Little, M. B. Chadwick, P. G. Young and R. E. MacFarlane, "Photonuclear Physics in Radiation Transport: II. Implementation." *Nucl. Sci. Eng.*, **144** (2), pages 157–173 (2003). DOI: <u>10.13182/NSE144-157</u>
- [4] M. B. Chadwick, et al., "ENDF/B-VII.0: Next Generation Evaluated Nuclear Data Library for Nuclear Science and Technology," Nucl. Data Sheets, **107**, 12, 2931 (2006). DOI: <u>10.1016/j.nds.2006.11.001</u>
- [5] T. Kawano, *et al.*, "IAEA Photonuclear Data Library 2019," *Nucl. Data Sheets*, 163, pages 109–162 (2020). DOI: <u>10.1016/j.nds.2019.12.002</u>
- [6] S. G. Mashnik and A. J. Sierk, "CEM03.03 User Manual," LANL Report LA-UR-12-01364, Los Alamos, 2012; RSICC Code Package http://www.oecd-nea.org/tools/abstract/detail/psr-0532/.
- [7] S. G. Mashnik, K. K. Gudima, N. V. Mokhov, and R. E. Prael, "LAQGSM03.03 Upgrade and Its Validation," LANL Report LA-UR-07-6198, Los Alamos, 2007; E-print: arXiv:0709.173.
- [8] J. M. Verbeke, C. Hagmann, and D. Wright, "Simulation of Neutron and Gamma Ray Emission from Fission and Photofission," Lawrence Livermore National Laboratory, Livermore, CA, USA, Tech. Rep. UCRL-AR-228518, Jan. 2014.